



Motor neutral point voltage and inverter

This study reviews the causes of neutral-point voltage imbalance, discusses three typical three-level inverter topologies, including neutral-point-clamped inverter, flying capacitor inverter, and cascaded H-bridge inverter, and compares their application effectiveness in neutral-point voltage balancing control. Neutral point voltage of Electric motors for multilevel drives in A Neutral Point Clamped MLI is used to convert DC power to AC power with multiple voltage levels. In an NPC MLI, the DC input power is converted into an AC output waveform with AKX00057-1 DescriptionVf characteristics of motors3.3. Applications of voltage source type and current source type inverters in the market4.1. Modulation techniquesDC ACvoltage6. Two-phase and three-phase PWM modulation6.2. Two-phase PWM modulation7.1. Multilevel inverters7.1.2. More on three-level PWMHigh side (H/S)7.3.3. Calculating the turn-on and turn-off losses (Pon and Poff) of an IGBT7.3.4. Calculating the FWD reverse recovery loss Ptrr

RESTRICTIONS ON PRODUCT USEThis document describes inverter circuits used for motor control and other applications, focusing on PWM control. It also describes the differences between two-phase and three-phase modulation techniques as well as circuits for drive power supply and power losses in semiconductor devices. See more on [toshiba.semicon-storage](#)



Motor neutral point voltage and inverter

```
align:middle;margin:2px 8px 2px -10px;border-radius:50%;background:#f7f7f7;flex-shrink:0}.rel
_ent_tw{vertical-align:middle;font-size:12px;color:#444;line-height:16px;height:100%;float:right;
display:table}.rel_ent_t{display:table-cell;vertical-align:middle;align-
content:center}.aqptmt:not(.spl2) .rel_ent_tw,.aqptmt:not(.spl2) .rel_ent_tw
.rel_ent_t{overflow:hidden;text-overflow:ellipsis;white-space:nowrap}.aqptmt:not(.spl2) .rel_ent
_tw{display:flex;overflow:hidden;text-overflow:ellipsis;align-items:center;white-
space:nowrap}.rel_ent_w:not(.spl2) .rel_ent_t strong{display:inline-block;font-
weight:normal}#b_results phead .b_attribution{padding-bottom:8px}.iaplanner
.b_moreLink{margin-top:11px}.iaplanner.iarnd .b_moreLink{margin-top:3px}.b_ans .b_rich
pserp.b_mBMargin{padding:0;border-top:0}.b_ans #vidans2 .b_rich .rel_ent_w{margin:6px 0
16px}.aqptmt a.rel_ent{border-color:#106ebe}.aqptmt:not(.spl2) .rel_ent_tw,.aqptmt:not(.spl2)
.rel_ent_tw .rel_ent_t{font-size:16px}.b_slideexp{margin-bottom:20px;position:relative}.b_ans>
.b_slideexp>.slide:last-child,.b_ans>.b_slideexp:last-child,.b_vPanel .b_slideexp:last-child{margin-
bottom:0;padding-bottom:0}.b_slidebar .slide{display:inline-block;vertical-align:top}.b_slidebar
.slide,.b_slideexp .b_viewport{overflow:hidden}.b_slideexp
.b_viewport{margin:auto}.b_slidebar{white-space:nowrap}.b_slidebar .slide{white-
space:normal;position:relative}.b_cards .cico,.b_slidebar .slide .cico{border-
radius:0}.b_slidebar,.b_slidebar .slide{width:100%}.b_slidebar.anim{transition:margin-left .35s
cubic-bezier(.15,.85,.35,1)}.slide>.spinner{position:absolute;left:50%}.slide>.spinner> ner{positi
on:relative;left:-50%;width:40px;height:40px;background:url(/rp/OJWYLxkTdSOmE7-V53KpAd
Oj-xY.gif) no-repeat;margin:40px auto 30px;z-
index:}.slide_mask.hideSlideMask{visibility:hidden}.b_slidebar.b_autoslidingfade
.slide.slide_fading{opacity:1}.slide_mask,.b_slidebar.b_autoslidingfade .slide{transition:opacity
.3s linear}.slide_mask.slide_fading,.b_slidebar.b_autoslidingfade .slide{opacity:0}.slide_mask{po
sition:absolute;width:100%;height:100%;opacity:.7;top:0}.carousel_seemore{text-
align:center}.carousel_seemore.dark a{color:#fff}.b_slidebar.enable_selecting
.slide.selected::after,.b_slidebar.enable_selecting .slide:hover::after{box-shadow:inset 0 0 0 2px
#fff}.b_slidebar .slide.selected::after,.b_slidebar .slide:focus::after{box-shadow:inset 0 0 0 2px
#0099bc;outline:0}.b_slidebar.enable_selecting .slide.selected::after,.b_slidebar.enable_selecting
.slide:hover::after,.b_slidebar .slide.selected::after,.b_slidebar
.slide:focus::after{content:"";height:100%;width:100%;position:absolute;left:0;top:0}.b_slideexp .
b_antiSideBleed{display:inline-block}.carousel_seemore>.b_moreLink.rndChev{vertical-
align:middle;height:92px;text-decoration-color:#444;display:inline-block}.carousel_seemore
.seeAll_txt{display:block;color:#444;line-height:17px}.carousel_seemore
.seeAll_chev{display:block;height:48px;padding-bottom:12px;margin-top:15px}html[dir="rtl"]
.carousel_seemore.seeAll_chev{transform:scaleX(-1)}.b_slideexp .b_viewport.scrollbar{overflow-
x:auto;-ms-overflow-style:none;scrollbar-width:none}.b_slideexp .b_viewport.scrollbar::-webkit-
scrollbar{display:none}.b_slideexp .b_viewport{-webkit-overflow-scrolling:touch}.b_overlay .btn
```



Motor neutral point voltage and inverter

```
.rounded{position:absolute;cursor:pointer;z-index:1;-moz-user-select:none;-khtml-user-select:none;-webkit-user-select:none;-o-user-select:none;-ms-user-select:none;user-select:none}.b_overlay
.btn.rounded,.b_overlay .btn.rounded .bg,.b_overlay .btn.rounded .cr,.b_overlay .btn.rounded
.cr>div,.b_overlay .btn.rounded .vcac>div{border-radius:50%}.b_overlay .btn.rounded
.vcac{height:0}.b_overlay .btn.rounded{height:32px;width:32px;top:50%;margin-top:-16px}.b_overlay .btn.rounded .bg,.b_overlay .btn.rounded:hover .bg{opacity:0}.b_overlay
.btn.rtl.rounded .cr{direction:ltr}.b_overlay .btn.hidden.rounded .cr,.b_overlay
.btn.disabled.rounded .cr{visibility:hidden}.b_overlay .btn.rounded .cr>div{border:1px solid #ecec;box-shadow:0 2px 3px 0 rgba(0,0,0,.1);height:30px;width:30px;overflow:hidden;background-image:none;background-color:#fff}.b_overlay .btn.rounded .cr>div:hover{box-shadow:0 2px 4px 1px rgba(0,0,0,.14)}.b_overlay .btn.rounded .cr>div:after{bottom:5px;background-color:#fff;transform-origin:-430px 0;display:inline-block;transform:scale(.5);position:relative}.b_overlay .btn.rounded .cr>div:hover:after{transform-origin:-514px 0}.b_overlay .btn.ltr.rounded .cr>div:after{right:5px}.b_overlay .btn.rtl.rounded .cr>div:after{left:5px}.b_overlay .btn.prev.ltr.rounded .cr,.b_overlay .btn.next.rtl.rounded .cr{transform:scaleX(-1)}body .b_overlay .btn.rounded.next{right:-12px}body .b_overlay .btn.rounded.prev{left:-13px}.ra_car_container .b_overlay .btn.prev.ltr.rounded .cr>div,.ra_car_container .b_overlay .btn.next.rtl.rounded .cr>div{transform:unset}.ra_car_container .b_overlay .btn.rounded .cr>div{background-position:0;border:unset}.ra_car_container .b_overlay .btn.rounded .cr>div:after{content:unset}@media screen and (forced-colors:active){.b_overlay .btn.rounded.hidden *,.b_overlay .btn.rounded.disabled *{background:none}.b_overlay .btn.rounded.hidden,.b_overlay .btn.rounded.disabled{background:none}}.b_overlay .btn.rounded .cr>div:after{content:url(/rp/EX_mgILPdYtFnI-37m1pZn5YKII.png)}.b_overlay{position:relative}.vcac{position:absolute;width:100%;top:50%}.vcac>div{position:relative;width:100%}#b_content .iacfic.mmkiaacf .iacfmit .imgInfo{color:var(--smtc-foreground-content-neutral-primary)}#b_content .iacfic.mmkiaacf .iacfmit a{text-decoration-color:var(--smtc-foreground-ctrl-neutral-primary-hover)}#b_content .iacfic.mmkiaacf .iacfmit .imgInfo{font:var(--bing-smtc-text-global-body3-strong)}#b_content .iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel]>div[data-wptds-carousel-scroll-container]{padding-bottom:52px}#b_content .iacfic.mmkiaacf .iacfmit{box-sizing:initial;padding-bottom:52px}#b_content .iacfic.mmkiaacf .iacfmit .imgInfo{text-overflow:ellipsis;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical;align-self:stretch;padding:0 var(--smtc-gap-between-content-xx-small);overflow:hidden}#b_content .iacfic.mmkiaacf .iacfimgc{padding-bottom:var(--smtc-gap-between-content-x-small)}#b_content .acfImgAns .salink,#b_content .acfImgAns .iasalink{text-align:center;display:block;padding-bottom:var(--smtc-gap-between-content-medium)}#b_content .acfImgAns .salink:hover .iasabt,#b_content .acfImgAns .iasalink:hover .iasabt{background:var(--bing-smtc-background-ctrl-outline-hover)}#b_content .acfImgAns .salink:active .iasabt,#b_content .acfImgAns
```



Motor neutral point voltage and inverter

```
.iasalink:active .iasabt{background:var(--bing-smtc-background-ctrl-outline-pressed)}#b_content
.acfImgAns .iasabt,#b_content .acfImgAns .iaExp_chevron{height:initial;border-radius:var(--smtc
-corner-circular);background:var(--bing-smtc-background-ctrl-neutral-rest);display:inline-
block;position:relative;top:0;box-shadow:initial}#b_content .acfImgAns .iasatxt{font:var(--bing-s
mtc-text-global-caption1-strong);color:var(--bing-smtc-foreground-content-brand-
rest);padding:var(--smtc-gap-between-content-x-small) var(--smtc-gap-between-content-small);dis
play:flex;gap:var(--smtc-gap-between-content-x-small);justify-content:center;align-
items:center}#b_content .acfImgAns .iasalink::before,#b_content .acfImgAns
.iasalink::before{border-bottom:1px solid var(--smtc-stroke-ctrl-on-neutral-
rest);width:100%;display:block;content:"";top:18px;position:relative}#b_content .acfImgAns
.svg{vertical-align:top}#b_content .acfImgAns .svgpath{fill:var(--bing-smtc-foreground-content-
brand-rest)}#b_content .acfImgAns .iachevron,#b_content .acfImgAns
.svgicon{width:12px;height:12px;margin-left:0;position:relative;top:0}html[dir=rtl] #b_content
.acfImgAns .iachevron,html[dir=rtl] #b_content .acfImgAns
.svgicon{transform:scaleX(-1)}#b_content .acfImgAns .rel_ent_w a.rel_ent{border:1px solid
var(--acf-stroke-neutral-decorative)}#b_content .acfImgAns .iaheader .iacf_head{text-decoration-
color:var(--smtc-foreground-ctrl-neutral-primary-hover)}#b_content .acfImgAns .iaheader
.iacf_head span,#b_content .acfImgAns .iaheader .iacf_head svg{color:var(--smtc-foreground-
content-neutral-primary);forced-color-adjust:auto}#b_content .iacfic.mmkiaacf .iacf_plan
.cico{border-radius:var(--smtc-corner-card-rest)}#b_content .iacfic.mmkiaacf .iacf_plan .cico
img{border-radius:var(--smtc-corner-card-rest)}#b_content
.iacfic.mmkiaacf{overflow:visible;padding:0}#b_content .iacfic.mmkiaacf .iacf_crsl[data-wptds-
carousel]{margin:0;padding-bottom:var(--smtc-gap-between-content-medium)}#b_content
.iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel] [data-wptds-carousel-controls]{--wptds-carousel-
control-opacity:1}#b_content .iacfic.mmkiaacf .iacf_crsl[data-wptds-
carousel]>div{padding:0}#b_content .iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel] [data-
direction="end"]{margin-right:-22px}#b_content .iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel]
[data-direction="end"] svg{transform:scaleX(-1)}#b_content .iacfic.mmkiaacf .iacf_crsl[data-
wptds-carousel] [data-direction="start"]{margin-left:-22px}#b_content .iacfic.mmkiaacf
.iacf_crsl[data-wptds-carousel] [data-direction="start"] svg{transform:scaleX(1)}#b_content
.iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel] button{background:var(--smtc-background-card-
on-primary-default-rest);box-shadow:var(--acf-elevation-3);width:36px;border-radius:var(--smtc-
corner-ctrl-lg-rest)}#b_content .iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel]
button:hover{background:var(--smtc-background-card-on-primary-default-hover)}#b_content
.iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel] button:active{background:var(--smtc-background-
card-on-primary-default-pressed)}#b_content .iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel]
button svg{transition:initial}#b_content .iacfic.mmkiaacf .iacf_crsl[data-wptds-carousel] button
svg path{fill:var(--smtc-foreground-content-neutral-secondary);forced-color-
```



Motor neutral point voltage and inverter

```
adjust:auto}#b_content .iacfic.mmkiaacf .iacfmit{position:absolute}#b_content .iacfic.mmkiaacf
.iacfimgc{margin:auto}#b_content .b_ans.b_imgansacf{padding:0!important}#b_content
.b_ans.b_top.b_imgansacf{background-color:initial!important}#b_content .acfImgAns .iaheader
.iacf_head{gap:0;padding:var(--smtc-gap-between-content-medium) 0;display:flex;align-
items:center;box-sizing:border-box}#b_content .acfImgAns .iaheader .iacf_head:hover{text-
decoration:none}#b_content .acfImgAns .iaheader .iacf_head:hover span{text-
decoration:underline}#b_content .acfImgAns .iaheader .iacf_head:hover
.iacf_chv{background:initial}#b_content .acfImgAns .iaheader .iacf_head div{display:flex;align-
items:center;transition:background 300ms ease-out;margin-right:-3px;border-radius:var(--smtc-cor-
ner-ctrl-rest);overflow:hidden;color:var(--bing-smtc-foreground-content-neutral-secondary-
alt)}#b_content .acfImgAns .iaheader .iacf_head span{width:initial;flex:none;font:var(--bing-smtc
-text-global-subtitle1-strong);padding-inline-start:var(--mai-smtc-padding-card-default);max-
width:90%;text-overflow:ellipsis;white-space:nowrap;overflow:hidden}#b_content .acfImgAns
.iaheader .iacf_head .iacf_chv{width:22px;justify-content:center;height:22px}#b_content
.acfImgAns .rel_ent_w{margin-top:0}#b_content .acfImgAns .rel_ent_w
.b_slideexp{margin:0}#b_content .acfImgAns .rel_ent_w .btn.rounded{top:initial;margin-
top:1px}#b_content .acfImgAns .rel_ent_w .btn.next{right:-14px}#b_content .acfImgAns
.rel_ent_w .cr>div{width:36px;height:38px;border-radius:var(--smtc-corner-ctrl-lg-rest);backgrou-
nd:var(--bing-smtc-background-container);box-shadow:var(--acf-
elevation-3);border:initial}#b_content .acfImgAns .rel_ent_w .cr>div:after{margin-inline-
start:2px;top:0}#b_content .acfImgAns .rel_ent_w .b_viewport{padding-top:0;margin-
left:0;padding-left:0}#b_content .acfImgAns .rel_ent_w .b_viewport .slide{height:38px;margin-
left:0;margin-inline-end:var(--smtc-gap-between-content-x-small)}#b_content .acfImgAns
.rel_ent_w a.rel_ent{border-radius:var(--smtc-corner-circular);background:var(--smtc-background-
card-on-primary-default-rest);padding-left:0;height:38px}#b_content .acfImgAns .rel_ent_w
a.rel_ent:hover{background:var(--smtc-background-card-on-primary-default-hover)}#b_content
.acfImgAns .rel_ent_w a.rel_ent:active{background:var(--smtc-background-card-on-primary-
default-pressed)}#b_content .acfImgAns .rel_ent_w .cico{margin:var(--smtc-gap-between-content-
xx-small) var(--smtc-gap-between-content-x-small) var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-xx-small)}#b_content .acfImgAns .rel_ent_w
.rel_ent_tw{font:var(--bing-smtc-text-global-caption1-strong)}#b_content .acfImgAns .rel_ent_w
.rel_ent_c{padding-left:0}#b_content .acfImgAns .rel_ent_w .b_sidebar{padding-inline-
start:var(--mai-smtc-padding-card-default)}#b_content .acfImgAns .rel_ent_w .rel_ent_c .rel_ent:f
irst-child{margin-inline-start:var(--mai-smtc-padding-card-default);align-
items:center}html[dir=rtl] #b_content .acfImgAns .iaheader .iacf_head
svg{transform:scaleX(-1)}html[dir=rtl] #b_content .acfImgAns .iacf_crsl[data-wptds-carousel]
[data-direction="end"]{transform:scaleX(-1)}html[dir=rtl] #b_content .acfImgAns .iacf_crsl[data-
wptds-carousel] [data-direction="start"]{transform:scaleX(-1)}.iacfm .iacfmit a:focus
```



Motor neutral point voltage and inverter

```
.isp_imgcont img,.iacfm .iacfmit a:focus .iacfimgc img,.iacfm .iacfmit a:focus
.iacf_smol{outline:3px dotted #1aebff;outline-offset:-5px}.iacfm .iacfmit
.cico{position:relative}.iacfm .iacfmit .cico::after{content:"";position:absolute;left:0;top:0;width:1
00%;height:100%;background:rgba(0,0,0,.03)}.gs_card .iacfmit img,.b_wpt_container .iacfmit
img,.b_acf_card .iacfmit img{transition:transform .3s ease-out}.gs_card .iacfmit:hover .iacfimgc
img,.b_wpt_container .iacfmit:hover .iacfimgc img,.b_acf_card .iacfmit:hover .iacfimgc img{trans
form:scale(1.1)}.iacfic{position:relative;height:100%;width:100%;background:#fff;overflow:hidd
en;border-radius:inherit}.iacf_plan{position:relative}.iacfmit
.mimg{width:100%;height:100%;position:relative}.iacfic .iacfmit{position:absolute}.iacfic
.iacfmit .cico{border-radius:0}.b_wpt_container .mgrid .wptSld lSpan6.expand .b_wpt_bl
lSpan5.has(.iacf_plan){width:536px;flex:unset}.b_wpt_container.wpt_dynmag .mgrid .wptSld.exp
and{flex:unset}.iacfca{padding:var(--mai-smtc-padding-card-default);box-sizing:border-
box;overflow:hidden;border-radius:var(--smtc-corner-card-rest)}.iacfca .iacf_crsl
.iacfmit{overflow:hidden;position:relative}.iacfca .iacf_crsl .iacfmit .cico{overflow:hidden;border-
radius:var(--mai-smtc-corner-list-card-nested-default);min-width:100%}.iacfca .iacf_crsl .iacfmit
img{border-radius:inherit;transition:transform 300ms ease-out;width:100%;object-
fit:cover}.iacfca .iacf_crsl .iacfmit:hover img{transform:scale(1.1)}.iacfca .iacfmit a:focus,.iacfca
.iacfmit a:focus img{outline:0}.iacfca .iacfmit a:focus .cico::after{border-radius:inherit;box-
shadow:inset 0 0 0 3px var(--bing-smtc-background-card-on-primary-alt-rest);outline:2px solid
var(--smtc-foreground-content-neutral-secondary);outline-offset:-2px}.iacfca [data-wptds-
carousel][data-default][data-variant="Normal"]{margin:0 calc(-1*var(--mai-smtc-padding-card-
default));height:auto}.iacfca [data-wptds-carousel][data-default][data-variant="Normal"] [data-
wptds-carousel-scroll-container]{padding:0 var(--mai-smtc-padding-card-default)}.iacfca [data-
wptds-carousel][data-default][data-variant="Normal"] [data-wptds-carousel-scroll-container]
ol{width:fit-content;align-items:center}.iacfca [data-wptds-carousel][data-default] [data-wptds-
carousel-control][data-direction="end"]{margin-right:24px}.iacfca [data-wptds-carousel][data-
default] [data-wptds-carousel-control][data-direction="start"]{margin-left:24px}.iacfca
.iacf_pag{position:absolute;bottom:8px;left:50%;transform:translate(-50%,0)}.cards.large
.iacfca{height:200px}[dir='rtl'] .iacfca .iacf_pag{transform:translate(50%,0)}.iacfm.iacfca
.iacf_crsl[data-wptds-carousel] [data-wptds-carousel-control]{background:var(--bing-smtc-
background-ctrl-neutral-rest);border:0;height:56px;width:16px;transition:width .3s;background
.3s;color:var(--smtc-foreground-ctrl-neutral-primary-hover)}.iacfm.iacfca .iacf_crsl[data-wptds-
carousel] [data-wptds-carousel-control] svg{transition:transform .3s}.iacfm.iacfca .iacf_crsl[data-
wptds-carousel] [data-wptds-carousel-control]:hover{width:24px;background:var(--smtc-
background-ctrl-neutral-hover)}.iacfm.iacfca .iacf_crsl[data-wptds-carousel] [data-wptds-carousel-
control] path{fill:currentColor}.iacfm.iacfca .iacf_crsl[data-wptds-carousel] ol [data-
direction="start"]{border-radius:0 8px 8px 0;margin-left:16px}.iacfm.iacfca .iacf_crsl[data-wptds-
carousel] ol [data-direction="start"] svg{transform:scale(.7)}.iacfm.iacfca .iacf_crsl[data-wptds-
```



Motor neutral point voltage and inverter

```
carousel] ol [data-direction="start"]:hover svg{transform:scale(1)}.iacfm.iacfca .iacf_crsl[data-
wptds-carousel] ol [data-direction="end"]{border-radius:8px 0 0 8px;margin-
right:16px}.iacfm.iacfca .iacf_crsl[data-wptds-carousel] ol [data-direction="end"]
svg{transform:scale(-.7)}.iacfm.iacfca .iacf_crsl[data-wptds-carousel] ol [data-
direction="end"]:hover svg{transform:scale(-1)}.iacfm.iacfca.iacf_fb .iacf_crsl[data-wptds-
carousel] [data-wptds-carousel-control],.iacfm.iacfca.iacf_ss .iacf_crsl[data-wptds-carousel] [data-
wptds-carousel-control]{background:var(--mai-smtc-background-ctrl-on-image-
rest);color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.iacfm.iacfca.iacf_fb .iacf_crsl[data-
wptds-carousel] [data-wptds-carousel-control] path,.iacfm.iacfca.iacf_ss .iacf_crsl[data-wptds-
carousel] [data-wptds-carousel-control] path{fill:currentColor}.iacfca .iacf_colg_crsl [data-wptds-
carousel-list]{width:fit-content}.iacfca .iacf_colg_crsl .iacfmit{position:absolute}.iacfca
.iacf_colg_crsl .cico{border-radius:0}.iacfca:not(.iacfh):has(>.iacf_colg_crsl){height:100%;width:
100%;padding:0;overflow:hidden;border-radius:inherit}.iacfca:not(.iacfh):has(>.iacf_colg_crsl)
.iacfmit{border-radius:0}.iacfca:not(.iacfh):has(>.iacf_colg_crsl) [data-wptds-carousel][data-
default] [data-wptds-carousel-controls]{inline-size:calc(100% + var(--wptds-carousel-control-size)
- var(--mai-smtc-padding-card-default)*2);transform:translateX(calc(0rem + var(--mai-smtc-
padding-card-default) - (var(--wptds-carousel-control-size)/2))) translateY(-50%)}[data-wptds-car
ousel][data-default],[data-wptds-carousel][data-default]::before,[data-wptds-carousel][data-
default]::after,[data-wptds-carousel][data-default] *,[data-wptds-carousel][data-default]
*::before,[data-wptds-carousel][data-default] *::after{box-sizing:border-box;margin:0;padding:0}[
data-wptds-carousel][data-default][hidden],[data-wptds-carousel][data-default] [hidden]{display:n
one}[data-wptds-carousel][data-default][data-visually-hidden],[data-wptds-carousel][data-default]
[data-visually-hidden]{block-size:.0625rem;border:0;clip:rect(0 0 0 0);inline-size:.0625rem;margi
n:-.0625rem;overflow:hidden;padding:0;position:absolute}[data-wptds-carousel][data-default]{--
wptds-carousel-control-bg-color:#fff;--wptds-carousel-control-border-color:#ddd;--wptds-carousel-
control-box-shadow:0rem .125rem .1875rem rgba(0,0,0,.1);--wptds-carousel-control-fg-color:#76
7676;--wptds-carousel-control-size:2rem;display:block;position:relative;block-size:100%}[data-
wptds-carousel][data-default] [data-wptds-carousel-scroll-container]{overflow-x:auto;overflow-y:
clip;scroll-behavior:smooth;block-size:100%;-ms-overflow-style:none;scrollbar-width:none}[data-
wptds-carousel][data-default] [data-wptds-carousel-scroll-container]::-webkit-
scrollbar{display:none}[data-wptds-carousel][data-default] [data-wptds-carousel-scroll-container]:
focus-visible{outline-color:Highlight;outline-color:-webkit-focus-ring-color;outline-
offset:.0625rem;outline-style:auto;outline-width:.0625rem}[data-wptds-carousel][data-default] [da
ta-wptds-carousel-list]{display:flex;gap:.5rem;list-style:none;block-size:100%}[data-wptds-
carousel][data-default] [data-wptds-carousel-list]>*{flex-grow:0;flex-shrink:0}[data-wptds-
carousel][data-default] [data-wptds-carousel-list]>:not([data-wptds-carousel-
item]){display:none}[data-wptds-carousel][data-default] [data-wptds-carousel-item]{block-
size:100%}[data-wptds-carousel][data-default] [data-wptds-carousel-item]>*{block-
```



Motor neutral point voltage and inverter

```
size:100% }[data-wptds-carousel][data-default] [data-wptds-carousel-
item]>img{ display:block;inline-size:auto }[data-wptds-carousel][data-default] [data-wptds-
carousel-controls]{ list-style:none;position:absolute;inline-size:calc(100% + var(--wptds-carousel-
control-size));inset-block-start:50%;transform:translateX(calc(0rem - (var(--wptds-carousel-
control-size)/2))) translateY(-50%);display:flex;align-items:center;justify-content:space-
between;pointer-events:none }[data-wptds-carousel][data-default] [data-wptds-carousel-
controls]>* { flex-grow:0;flex-shrink:0}[data-wptds-carousel][data-default] [data-wptds-carousel-c
ontrol]{ cursor:pointer;inline-size:var(--wptds-carousel-control-size);aspect-ratio:1;display:grid;pla
ce-content:center;border-radius:50%;background-color:var(--wptds-carousel-control-bg-
color);border:.0625rem solid var(--wptds-carousel-control-border-color);box-shadow:var(--wptds-
carousel-control-box-shadow);color:var(--wptds-carousel-control-fg-color);opacity:var(--wptds-
carousel-control-opacity);pointer-events:all }[data-wptds-carousel][data-default] [data-wptds-carou
sel-control]:active{ --wptds-carousel-control-bg-color:#fff;--wptds-carousel-control-border-
color:#ddd;--wptds-carousel-control-box-shadow:0rem .125rem .1875rem rgba(0,0,0,.1);--wptds-
carousel-control-fg-color:#767676}[data-wptds-carousel][data-default] [data-wptds-carousel-contr
ol]:focus-visible{ outline-color:Highlight;outline-color:-webkit-focus-ring-color;outline-
offset:.0625rem;outline-style:auto;outline-width:.0625rem }[data-wptds-carousel][data-default]
[data-wptds-carousel-control] * { pointer-events:none }[data-wptds-carousel][data-default] [data-
wptds-carousel-control]>svg{ display:block }[data-wptds-carousel][data-default] [data-wptds-carou
sel-control][data-direction="start"]>svg{ transform:scaleX(1) }[data-wptds-carousel][data-default] [
data-wptds-carousel-control][data-direction="end"]>svg{ transform:scaleX(-1) }[data-wptds-
carousel][data-default] [data-wptds-carousel-control][aria-
disabled="true"]{ visibility:hidden;cursor:not-allowed }[data-wptds-carousel][data-default] [data-
wptds-carousel-announce]{ block-size:.0625rem;border:0;clip:rect(0 0 0 0);inline-size:.0625rem;m
argin:-.0625rem;overflow:hidden;padding:0;position:absolute }[data-wptds-carousel][data-default]
[data-variant="Normal"],[data-wptds-carousel][data-default][data-variant="FullWidth"]{ --wptds-c
arousel-control-opacity:0}[data-wptds-carousel][data-default][data-variant="Normal"]:has([data-w
ptds-carousel-scroll-container]:focus-visible),[data-wptds-carousel][data-default][data-variant="N
ormal"]:has([data-wptds-carousel-control]:focus-visible),[data-wptds-carousel][data-default][data-
variant="FullWidth"]:has([data-wptds-carousel-scroll-container]:focus-visible),[data-wptds-carous
el][data-default][data-variant="FullWidth"]:has([data-wptds-carousel-control]:focus-visible){ --wpt
ds-carousel-control-opacity:1 }[data-wptds-carousel][data-default][data-variant="Normal"][[data-
snap] [data-wptds-carousel-scroll-container]{ scroll-snap-type:x proximity }[data-wptds-
carousel][data-default][data-variant="Normal"][[data-snap] [data-wptds-carousel-item]{ scroll-snap
-align:center;scroll-snap-stop:always }[data-wptds-carousel][data-default][data-
variant="Normal"][[data-snap] [data-wptds-carousel-item]:first-of-type{ scroll-snap-
align:start }[data-wptds-carousel][data-default][data-variant="Normal"][[data-snap] [data-wptds-car
ousel-item]:last-of-type{ scroll-snap-align:end }[data-wptds-carousel][data-default][data-
```



Motor neutral point voltage and inverter

```
variant="FullWidth"] [data-wptds-carousel-scroll-container]{scroll-snap-type:x mandatory}[data-wptds-carousel][data-default][data-variant="FullWidth"] [data-wptds-carousel-item]{inline-size:100%;scroll-snap-align:center;scroll-snap-stop:always}[data-wptds-carousel][data-default][data-variant="FullWidth"] [data-wptds-carousel-item]:first-of-type{scroll-snap-align:start}[data-wptds-carousel][data-default][data-variant="FullWidth"] [data-wptds-carousel-item]:last-of-type{scroll-snap-align:end}[data-wptds-carousel][data-default][data-variant="FullWidth"] [data-wptds-carousel-item]>{*{inline-size:100%}[data-wptds-carousel][data-default][data-bleed-inline] [data-wptds-carousel-controls]{--control-side-gap:.25rem;inline-size:calc(100% - (var(--control-side-gap)*2));transform:translateX(calc(0rem + var(--control-side-gap))) translateY(-50%)}[data-wptds-carousel][data-desktop] [data-wptds-carousel-control]:hover:not([aria-disabled="true"]):not(:active){--wptds-carousel-control-bg-color:#fff;--wptds-carousel-control-border-color:#ddd;--wptds-carousel-control-box-shadow:0rem .125rem .3125rem rgba(0,0,0,.14);--wptds-carousel-control-fg-color:#111}[data-wptds-carousel][data-desktop][data-variant="Normal"]:has([data-wptds-carousel-scroll-container]:hover),[data-wptds-carousel][data-desktop][data-variant="Normal"]:has([data-wptds-carousel-control]:hover),[data-wptds-carousel][data-desktop][data-variant="FullWidth"]:has([data-wptds-carousel-scroll-container]:hover),[data-wptds-carousel][data-desktop][data-variant="FullWidth"]:has([data-wptds-carousel-control]:hover){--wptds-carousel-control-opacity:1}[dir="rtl"] [data-wptds-carousel][data-default] [data-wptds-carousel-controls]{transform:translateX(calc(0rem + (var(--wptds-carousel-control-size)/2))) translateY(-50%)}[dir="rtl"] [data-wptds-carousel][data-default] [data-wptds-carousel-control][data-direction="start">svg{transform:scaleX(-1)}[dir="rtl"] [data-wptds-carousel][data-default] [data-wptds-carousel-control][data-direction="end">svg{transform:scaleX(1)}[dir="rtl"] [data-wptds-carousel][data-default][data-bleed-inline] [data-wptds-carousel-controls]{transform:translateX(calc(0rem - var(--control-side-gap))) translateY(-50%)).b_dark [data-wptds-carousel][data-default],.b_drk [data-wptds-carousel][data-default]{--wptds-carousel-control-bg-color:#484644;--wptds-carousel-control-border-color:#545250;--wptds-carousel-control-box-shadow:0rem .125rem .1875rem rgba(0,0,0,.1);--wptds-carousel-control-fg-color:#d2d0ce}.b_dark [data-wptds-carousel][data-default] [data-wptds-carousel-control]:active,.b_drk [data-wptds-carousel][data-default] [data-wptds-carousel-control]:active{--wptds-carousel-control-bg-color:#484644;--wptds-carousel-control-border-color:#545250;--wptds-carousel-control-box-shadow:0rem .125rem .1875rem rgba(0,0,0,.1);--wptds-carousel-control-fg-color:#d2d0ce}.b_dark [data-wptds-carousel][data-desktop] [data-wptds-carousel-control]:hover:not([aria-disabled="true"]):not(:active),.b_drk [data-wptds-carousel][data-desktop] [data-wptds-carousel-control]:hover:not([aria-disabled="true"]):not(:active){--wptds-carousel-control-bg-color:#605e5c;--wptds-carousel-control-border-color:#545250;--wptds-carousel-control-box-shadow:0rem .125rem .3125rem rgba(0,0,0,.14);--wptds-carousel-control-fg-color:#faf9f8}.gs_card .iacfic .iacfmit .iacfimgc,.gs_card .iacfic .iacfmit .cico,.b_wpt_container .iacfic .iacfmit .iacfimgc,.b_wpt_container .iacfic .iacfmit
```



Motor neutral point voltage and inverter

```
.cico{ width:100%!important;height:100%!important;border-radius:0}.gs_card .iacfic .iacfmit
img,.b_wpt_container .iacfic .iacfmit img{ width:100%;height:100%;object-
fit:cover}#slideexp0_C36406 .slide { margin-right: 8px; }#slideexp0_C36406c .b_slidebar .slide {
border-radius: 6px; }#slideexp0_C36406 .slide:last-child { margin-right: 1px;
}#slideexp0_C36406c { margin: -4px; } #slideexp0_C36406c .b_viewport { padding: 4px 1px 4px
1px; margin: 0 3px; } #slideexp0_C36406c .b_slidebar .slide { box-shadow: 0 0 0 1px rgba(0, 0, 0,
0.05); -webkit-box-shadow: 0 0 0 1px rgba(0, 0, 0, 0.05); } #slideexp0_C36406c .b_slidebar
.slide.see_more { box-shadow: 0 0 0 0px rgba(0, 0, 0, 0.00); -webkit-box-shadow: 0 0 0 0px
rgba(0, 0, 0, 0.00); } #slideexp0_C36406c .b_slidebar .slide.see_more .carousel_seemore { border:
0px; }#slideexp0_C36406c .b_slidebar .slide.see_more:hover { box-shadow: 0 0 0 0px rgba(0, 0,
0, 0.00); -webkit-box-shadow: 0 0 0 0px rgba(0, 0, 0, 0.00); }
```

Images of Motor neutral point voltage and Inverter Inverter Output Voltage Dc Motor Voltage Range Dc Motor Voltage Inverter For Motor Control Motor Voltage Single Phase Motor Inverter Inverter Motor Control Common Mode Voltage In Inverter Voltage Control Of Induction Motor Improved Neutral-Point Voltage-Shifting Strategy for Power Balancing in Nonlinear Effects of Three-Level Neutral-Point Clamped Inverter on Three-level neutral point clamped voltage source inverter driving an Research into a Method of Forming Neutral Point Voltage in a Three Enhanced Four-Level Active Nested Neutral Point-Clamped Inverter Figure 6 from AT-NPC 3-Level Inverter-Fed Induction Motor Vector Nonlinear Effects of Three-Level Neutral-Point Clamped Inverter on Figure 1 from AT-NPC 3-Level Inverter-Fed Induction Motor Vector Improved Neutral-Point Voltage-Shifting Strategy for Power Balancing in Energies | Free Full-Text | Fault Diagnosis and Tolerant Control of See all IEEE Xplore Neutral-Point Voltage-Balancing Strategies of NPC-Inverter Fed In this article, the mechanism of neutral-point potential oscillations of neutral-point-clamped (NPC) three-level inverter fed dual three-phase ac motors is described. Neutral-point voltage control of the three-level inverter in A self-optimization mechanism of the three-phase switching sequence is proposed to achieve fully control of the neutral-point voltage with lowest switching times. A SVPWM based Neutral Point Voltage Control of 3 Level This chapter examines the inverter's neutral point voltage with different loads, motor control of the Permanent Magnet Synchronous Motor (PMSM), and various inverter profiles. Study on neutral-point voltage balancing control in three-level To address the neutral-point voltage imbalance of inverters, this study primarily analyzes three typical three-level topologies, which are followed by detailed discussions of neutral-point Inverse Segmented Motor Drive Using Dual ANPC Inverters Inverse Segmented Motor Drive Using Dual ANPC Inverters for Common-mode Voltage and Neutral-Point Current Cancellation Neutral Point Clamped Inverter (NPC) This note covers modulation and control techniques for a Neutral Point Clamped Inverter (NPC) with a focus on their practical implementation. Neutral-point voltage control method of multi-phase three-level In this paper, the neutral-point voltage control of space vector pulse width modulation (SVPWM) is studied. First, according to the principle of minimum common mode Three-Level NPC Inverter Using Space-Vector This example shows the operation



Motor neutral point voltage and inverter

of a 2-MVA, 3-Level NPC inverter using Space-Vector Pulse-Width-Modulation (SVPWM) technique with neutral-point voltage control. From an ideal -Volt DC source, a 2-MVA, three Neutral point voltage of Electric motors for multilevel drives in A Neutral Point Clamped MLI is used to convert DC power to AC power with multiple voltage levels. In an NPC MLI, the DC input power is converted into an AC output waveform with AKX00057-1 The switching of a voltage-type PWM inverter generates a neutral-point voltage, which is divided by the capacitance distributed in a motor and appears as a motor shaft voltage. Neutral-Point Voltage-Balancing Strategies of NPC-Inverter Fed In this article, the mechanism of neutral-point potential oscillations of neutral-point-clamped (NPC) three-level inverter fed dual three-phase ac motors is described. Neutral-point voltage control method of multi-phase three-level neutral In this paper, the neutral-point voltage control of space vector pulse width modulation (SVPWM) is studied. First, according to the principle of minimum common mode Three-Level NPC Inverter Using Space-Vector PWM with Neutral-Point This example shows the operation of a 2-MVA, 3-Level NPC inverter using Space-Vector Pulse-Width-Modulation (SVPWM) technique with neutral-point voltage control. From an ideal Neutral point voltage of Electric motors for multilevel drives in A Neutral Point Clamped MLI is used to convert DC power to AC power with multiple voltage levels. In an NPC MLI, the DC input power is converted into an AC output waveform with Three-Level NPC Inverter Using Space-Vector PWM with Neutral-Point This example shows the operation of a 2-MVA, 3-Level NPC inverter using Space-Vector Pulse-Width-Modulation (SVPWM) technique with neutral-point voltage control. From an ideal

Web:

<https://www.goenglish.cc>